| Please check the examination details bel | ow before enter | ring your candidate information |
|--|--------------------|---------------------------------|
| Candidate surname | | Other names |
| Pearson Edexcel Leve | | el 2 GCSE (9–1) |
| Tuesday 16 May 202 | 23 | |
| Morning (Time: 1 hour 45 minutes) | Paper reference | 1BI0/1F |
| Biology PAPER 1 | | ◊ • |
| | | Foundation Tier |
| You must have: Ruler, calculator | | Total Marks |

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 (a) Figure 1 shows an animal cell.




Figure 1

(i) Which part of the cell is labelled Y?

(1)

- A cell wall
- **B** cell membrane
- C nucleus
- □ Cytoplasm
- (ii) Which structures are found in the part labelled Z?

(1)

- A chromosomes
- **B** mitochondria
- C ribosomes
- D vacuoles
- (iii) Name the part of an animal cell where respiration occurs.



(b) A microscope can be used to observe the structure of a cell. Figure 2 shows a microscope.



© RouDhi/Shutterstock

Figure 2

(i) Give **one** advantage of using a microscope to look at cells.

(ii) Draw **one** straight line from each part of the microscope to its function.

(2)

part of the microscope

function

to place a slide on

to carry the microscope

eyepiece

stage

to make the cells look brighter

to look through to see the cells

to reflect light onto the cells

(c) Figure 3 shows some of the units used when cells and organelles are measured.

micrometre = 10^{-6} m nanometre = 10^{-9} m picometre = 10^{-12} m millimetre = 10^{-3} m

Figure 3

Give the name of the smallest unit shown in Figure 3.

(1)

(Total for Question 1 = 7 marks)

2 (a) Figure 4 shows fossils in different layers of rock.





Figure 4

(i) Which layer of rock is likely to contain the most recent fossils?

- A layer A
- B layer B
- C layer C
- D layer D

Figure 5 shows some stone tools from two different periods of time.



© Yes058 Montree Nanta/Shutterstock


Figure 5

| (ii) Explain one difference between tool A and tools B, C and D. | (2) |
|---|-----|
| | |
| | |
| | |
| | |

| (b) Our hum | an ancestors domesticated animals. | |
|-------------|--|------|
| Animals | were domesticated to use as working animals and to keep as pets. | |
| (i) Use w | vords from the box to complete the sentences. | |
| | | (2) |
| | asexual characteristics evidence | |
| | ideas inherited selective | |
| | | |
| Anim | als with the most desirable were bred toget | her. |
| This is | s called breeding. | |
| | | |
| (ii) Scien | tists have analysed the genomes of domestic animals. | |
| Whicl | h is the definition of a genome? | (1) |
| × A | all the cells of an organism | (1) |
| | all the enzymes of an organism | |
| | all the DNA of an organism | |
| \boxtimes | all the structures of an organism | |
| (iii) Give | one advantage of domesticating animals. | (1) |
| | | |

(Total for Question 2 = 7 marks)

3 (a) Figure 6 shows the bones in the limbs of a bird and a whale.






Figure 6

(i) The bird and the whale have evolved from a common ancestor.

Give **one** way the structure of these limbs provides evidence for this evolution.

(1)

(ii) Charles Darwin developed the theory of evolution by natural selection.

Which scientist worked with Darwin on the theory of evolution by natural selection?

- A Alexander Fleming
- **B** Gregor Mendel
- C Richard Leakey
- D Alfred Russel Wallace



| (i) | Suggest one reason why DNA is found in bones. | |
|-------|---|------------|
| (-7 | | (1) |
| | | |
| | | |
| | | |
| (ii) | Describe how stem cells help animals to grow. | |
| | | (2) |
| | | |
| | | |
| | | |
| | | |
| | | |
| (iii) | Scientists have transplanted stem cells into the retina of the eye. | |
| | Name one type of light sensitive cell found in the retina. | (1) |
| | | |
| (iv) | Explain one reason for transplanting stem cells into the retina. | |
| | | (2) |
| | | |
| | | |
| | | |
| | | |
| | (Total for Question 3 | – 8 marks) |
| | (Total for Question 3 | – o marks) |



| 4 | (a) Which is the reason why obesity is a non-communicable disease? | | |
|---|--|-----|---|
| | | (1) |) |

| X | Α | it is spread from person to person | |
|---|---|------------------------------------|--|
|---|---|------------------------------------|--|

- B it is caused by a virus
- C it is not spread from person to person
- **D** it lasts for a short time
- (b) Several factors affect the risk of developing cardiovascular disease.

Figure 7 shows different BMI ranges and their weight descriptions.

| BMI range | weight description |
|--------------|--------------------|
| 18.5 to 24.9 | healthy weight |
| 25.0 to 29.9 | overweight |
| 30.0 to 39.9 | obese |
| 40 or more | severely obese |

Figure 7

(i) A person has a BMI of 39.0

| Explain the risk of this person developing cardiovascular disease. | (0) |
|--|-----|
| | (2) |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| (ii) Changes in lifestyle can reduce the risk of cardiovascular disease. | |
| State two other treatments for cardiovascular disease. | |
| | (2) |
| 1 | |
| | |
| | |
| | |

(c) Figure 8 shows the percentage of people who smoked cigarettes in England from 2011 to 2019.




Figure 8

(i) State the trend shown in the graph from 2011 to 2019.

(1)

(ii) Give **two** reasons for this change in the number of people smoking cigarettes.

(2)

1

2

(iii) Draw a line on Figure 8 to show the likely trend in the percentage of people smoking cigarettes from 2019 to 2041.

(iv) Smoking cigarettes can increase the risk of people developing cancer.

Which is the description of cancer?

(1)

- A uncontrolled organ division
- B uncontrolled cell division
- C controlled cell division
- **D** controlled organ division

(Total for Question 4 = 10 marks)

5 A student investigated the antibiotic properties of garlic.

Bacteria were spread on an agar plate.

A paper disc was soaked in garlic extract and placed on this agar plate.

Figure 9 shows the agar plate after 24 hours.




Figure 9

(a) (i) Suggest why there is an area with no bacterial growth.



(ii) The student repeated the investigation using three separate agar plates with different concentrations of garlic extract.

Figure 10 shows the results.




Figure 10

The concentrations of garlic extract used were 10 mg/cm³, 40 mg/cm³ and 100 mg/cm³.

Explain which agar plate, shown in Figure 10, has the paper disc containing the 100 mg/cm³ garlic extract.

(2)

(iii) Give **one** way the student could improve their results.



(iv) The area with no bacterial growth for agar plate B has a radius of 5 mm.

Calculate the area with no bacterial growth for agar plate B.

The area of a circle is πr^2 .


Use $\pi = 3.14$

(2)

area = mm



(b) Figure 11 shows bacteria being spread on an agar plate.



(Source: © Chatchouliya/Shutterstock)

Figure 11

| | | (Total for Question 5 = 9 | marks) |
|---|------|---|--------|
| | | | |
| 2 | | | |
| | | | |
| 1 | | | (2) |
| | (ii) | Give two other ways of working safely with microorganisms. | (2) |
| | | | |
| | | | (1) |
| | (1) | before use. | |

6 Figure 12 shows some characteristics of pea plants.

| flower colour | seed shape |
|---------------|------------|
| purple | round |
| white | wrinkled |

Figure 12

The allele for purple flowers is dominant to the allele for white flowers.

(a) Which term describes the allele for white flowers?

(1)

- A heterozygous
- **B** homozygous
- C gamete
- **D** recessive
- (b) A scientist crossed a pea plant that produced round seeds (Rr) with a pea plant that produced wrinkled seeds (rr).
 - (i) Complete the Punnett square.

(2)

(1)

wrinkled seeds

| round seeds | R | |
|-------------|---|--|
| | r | |

(ii) State the percentage of the offspring that will produce round seeds.

percentage =%

(c) The scientist crossed **two** purple flowering pea plants.

The offspring were:

- 133 plants with purple flowers
- 46 plants with white flowers
- (i) Calculate the ratio of offspring with purple flowers to offspring with white flowers.

Give your answer to the nearest whole number.

(2)

ratio:1

| | (ii) Explain why it was possible for this cross to produce some offspring with white flowers. | |
|-------|---|-----|
| | | (2) |
| | | |
| | | |
| | | |
| (d) | The cells in pea plants are diploid. | |
| | These cells have 14 chromosomes. | |
| | (i) Explain why pea plant gametes have only seven chromosomes. | (2) |
| | | |
| ••••• | | |
| | | |



| | (Total for Question 6 = 12 marks) |
|--|-----------------------------------|
| | |
| | |
| | |
| | |
| | |
| (ii) Describe what happens at fertilisation. | (2) |
| | |

7 The growth of crop plants, such as wheat, can be improved by the use of fertilisers and the control of pests.

Figure 13 shows the mass of grains produced by wheat plants grown in soil without fertiliser and in soil with fertiliser.




Figure 13

(a) Give **one** effect on the grains produced, when wheat plants are grown in soil with fertiliser.

(1)

(b) Explain why farmers measure the mass of 1000 grains rather than the mass of one wheat grain.


(2)



- (c) Biological control can be used to reduce pest damage on crops.
 - (i) Which is the definition of biological control?

(1)

- A using antiseptics to control pests
- **B** using fertilisers to control pests
- □ using predators to control pests
- D using pesticides to control pests
- (ii) Figure 14 shows a crop being grown under a clear plastic cover and a crop being grown in a garden.



clear plastic cover



Figure 14

Explain why biological control would be more successful when a crop is grown under a clear plastic cover.

| / | | ٦ |
|---|---|---|
| (| " | 1 |

| P | 1 9 | 2 2 6 | : A (| 1 7) 1 | 1 2 2 | |
|---|-----|-------|-------|--------|-------|--|

*(d) Figure 15 shows corn damaged by an insect pest.



© Tomasz Klejdysz/Shutterstock

Figure 15

Scientists have genetically modified (GM) corn plants to be

- resistant to insects
- resistant to weedkillers

| Explain the advantages and disadvantages of growing GM corn pl | |
|--|---------------------|
| | (6) |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| (Total for Oue | stion 7 = 12 marks) |



D phenotype


| 8 | (a) | | s show genetic variation. ne possible cause of genetic variation in apple trees. | (1) |
|---|-----|------|--|-----|
| | | hich | lour of an apple is an observable characteristic. is the term for an observable characteristic? gene genotype heterozygous | (1) |

(b) Name the type of reproduction that produces genetically identical organisms.

(1)

(c) Grafting is a technique used to grow some varieties of apple tree.

Figure 16 shows apple tree shoots grafted on to a rootstock.



(Source: © ATTILA Barsan/Shutterstock)

Figure 16

Grafting can be used to produce apple trees that are genetically identical.

Give **one** advantage and **one** disadvantage of growing genetically identical apple trees.


advantage (2)

disadvantage

| You may use | e standard laboratory | equipment and the s | solutions listed in the bo | OX. |
|-------------|-----------------------|---------------------|----------------------------|-----|
| | | · | iodine solution | |
| | a range of pH sol | utions | | (4) |
| | | | | (+) |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | m pH of an enzyme i | | | |
| Explain why | this enzyme would | not work at pH 10. | | (2) |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



9 Figure 17 shows colonies of bacteria growing on an agar plate.



(Source: © Chatchouliya/Shutterstock)

Figure 17

Each colony starts as one bacterium.

Every time bacteria reproduce, the number of bacteria in each colony doubles.

(a) Calculate the number of bacteria in a colony after five hours, if each bacterium reproduces every 30 minutes.

(2)

.....bacteria


- (b) Some bacteria are pathogens.
 - (i) State the meaning of the term pathogen.

| (ii) | Explain why antibiotics can be used to treat bacterial infections. | (2) |
|-------|---|-----|
| | | |
| | | |
| | | |
| (iii) | A rod-shaped bacterium is 0.005 mm long. A student draws the rod-shaped bacterium. | |
| | The bacterium in the drawing is 80 mm long. | |
| | Calculate the magnification of this drawing. | (2) |
| | | |
| | | |
| | | |
| | | |




magnification =

*(c) Figure 18 shows a bacterial cell and a plant cell.







plant cell

Figure 18

| Describe the similarities and differences of a bacterial cell and a plant cell. | |
|---|----------|
| | (6) |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| (Total for Question 9 = 1 | 3 marks) |



10 Figure 19 shows a chart used by opticians to test a person's vision.

The person's vision is judged by the lowest row of letters they can read.




Figure 19

(a) (i) An optician tested the eyesight of 240 people.

35% of these people could read the normal vision row without wearing glasses.

The rest of the people need glasses to correct their vision.

Calculate the number of people who need glasses to correct their vision.

(3)


| people |
|------------|


(ii) An optician can use the chart to diagnose short-sightedness.


Give **one** reason why people are short-sighted.




(iii) Which diagram shows how short-sightedness can be corrected?









- A
- ⊠ B
- ⊠ C

(b) Cataracts can affect a person's vision.

Figure 20 shows what a person with normal vision and a person with cataracts can see for the top letter on the optician's chart.





person with normal vision

person with cataracts

Figure 20

(i) Describe why a person with cataracts would see the image shown in Figure 20.

(2)

(ii) State the treatment for cataracts.



(c) Figure 21 shows the structure of the brain.




Figure 21

(i) Which region of the brain is labelled structure X?

(1)

- A cerebellum
- **B** cerebral hemisphere
- C medulla oblongata
- **D** spinal cord
- (ii) When a person reacts to a stimulus, messages from the brain are sent to their muscles.

Describe how messages are sent from the brain to muscles.

| -/ | 9 | 1 |
|----|---|---|
| ı | _ |) |

(Total for Question 10 = 11 marks)

TOTAL FOR PAPER = 100 MARKS



Mark Scheme (Results)

Summer 2023

Pearson Edexcel GCSE In Biology (1BI0) Paper 1F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2023
Publications Code 1BI0_1F_2306_MS
All the material in this publication is copyright
© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.


| Assessment Objective | | Command Word | | | |
|-------------------------|--------------|---|---|--|--|
| Strand | Element | Describe | Explain | | |
| AO1 | | An answer that combines the marking points to provide a logical description | An explanation that links identification of a point with reasoning/justification(s) as required | | |
| AO2 | | An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding | An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding) | | |
| AO3 | 1a and 1b | An answer that combines points of interpretation/evaluation to provide a logical description | | | |
| AO3 | 2a and 2b | | An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning | | |
| AO3 | За | An answer that combines the marking points to provide a logical description of the plan/method/experiment | | | |
| AO3 | 3b | | An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning | | |

| Question number | Answer | Mark |
|-----------------|---|-------|
| 1(a)(i) | B cell membrane | (1) |
| | The only correct answer is B | AO1 1 |
| | A is not correct because Y is not the cell wall | |
| | C is not correct because Y is not the nucleus | |
| | D is not correct because Y is not the cytoplasm | |
| | | |

| Question number | Answer | Mark |
|-----------------|--|-------|
| 1(a)(ii) | A chromosomes | (1) |
| | The only correct answer is A | AO1 1 |
| | B is not correct because mitochondria are not found in Z | |
| | C is not correct because ribosomes are not found in Z | |
| | D is not correct because vacuoles are not found in Z | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--------------|---------------------|-------|
| 1(a)(iii) | mitochondria | accept cytoplasm | (1) |
| | | | AO1 1 |

| Question number | Answer | Mark |
|-----------------|--|--------------|
| 1(b)(i) | cells appear {larger / magnified} / can be seen in more detail /organelles can be seen | (1) AO1 2 |



| Question number | Answer | Additional guidance | Mark |
|-----------------|-----------|---------------------|--------------|
| 1(c) | picometre | | (1) AO1 1 |

(Total for question 1 = 7 marks)

| Question number | Answer | Mark |
|-----------------|--|-------|
| 2(a)(i) | A layer A | (1) |
| | The only correct answer is A | AO2 1 |
| | B is not correct because layer B will not contain the most recent fossils | |
| | C is not correct because layer C will not contain the most recent fossils | |
| | D is not correct because layer D will not contain the most recent fossils | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--------------------------|----------------|
| 2(a)(ii) | An explanation including tool A is less refined (than B, C and D) (1) (because) tool A was worked less (1) (because) it is older / made by earlier humans / less evolved humans (1) | accept reverse arguments | (2) AO3 1ab |

| Question number | Answer | Additional guidance | Mark |
|-----------------|-----------------------------------|--|--------------|
| 2(b)(i) | characteristics (1) selective (1) | answers must be in the correct order | (2) AO1 1 |

| Question Number | Answer | Mark |
|--------------------|--|-------|
| 2(b)(ii) | C all the DNA of an organism | (1) |
| | The only correct answer is C | AO1 1 |
| | A is not correct because the genome is not all the cells of an organism | |
| | B is not correct because the genome is not all the enzymes of an organism | |
| | D is not correct because the genome is not all the structures of an organism | |

| Question number | Answer | Mark |
|-----------------|--|-------|
| 2(b)(iii) | food security / animals are less dangerous / make jobs easier / companionship / give humans protection | (1) |
| | | AO1 1 |

(Total for question 2 = 7 marks)

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|---------------------|---------------|
| 3(a)(i) | similar pattern of bones / 5 digits / pentadactyl (limb) | | (1) AO3 1a |

| Question Number | Answer | Mark |
|--------------------|---|-------|
| 3(a)(ii) | D Alfred Russel Wallace | (1) |
| | The only correct answer is D | AO1 1 |
| | A is not correct because Alexander Fleming did not work with Charles Darwin on the theory of evolution | |
| | B is not correct because Gregor Mendel did not work with Charles Darwin on the theory of evolution | |
| | C is not correct because Richard Leakey did not work with Charles Darwin on the theory of evolution | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|---|--------------|
| 3(b)(i) | (bones) contain (living) cells / nuclei / mitochondria | accept references to the role of DNA in bone cells | (1) AO2 1 |

| Question number | Answer | Mark |
|-----------------|--|--------------|
| 3(b)(ii) | An answer including two from: • (stem cells) divide / produce more cells (1) • by mitosis (1) • stem cells are undifferentiated (1) | (2) AO1 1 |
| | (stem cells) differentiate / develop into {different / specialised} types of cells (1) | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|------------------|---------------------|-------|
| 3(b)(iii) | cone(s) / rod(s) | | (1) |
| | | | AO1 1 |

| Question number | Answer | Mark |
|-----------------|--|-------|
| 3(b)(iv) | An answer including | (2) |
| | (transplanted stem cells) can develop / replace (retinal) cells (1) | AO2 1 |
| | to correct blindness / damaged retina (1) | |

(Total for question 3 = 8 marks)

| Question Number | Answer | Mark |
|--------------------|---|-------|
| 4(a) | C it is not spread from person to person | (1) |
| | The only correct answer is C | AO1 1 |
| | A is not correct because obesity is not spread from person to person | |
| | B is not correct because obesity is not caused by a virus | |
| | D is not correct because obesity does not last for a short time | |

| Question Number | Answer | Mark |
|--------------------|---|----------------|
| 4(b)(i) | An explanation linking the risk is high (1) because the person is obese (1) | (2) AO3 1ab |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|---|------------------------|--------------|
| 4(b)(ii) | Any two from: • medication (1) • heart transplant (1) • stents (1) • bypass surgery (1) | accept named medicines | (2) AO1 1 |

| Question Number | Answer | Mark |
|--------------------|--|---------------|
| 4(c)(i) | (the percentage of people who smoked cigarettes from 2011 to 2019) has decreased | (1) AO3 2a |

| Question Number | Answer | Mark |
|--------------------|---|---------------|
| 4(c)(ii) | more smokers die than non-smokers (and fewer people taking up smoking) (1) people are more aware of the dangers of smoking / have followed health advice (1) (there are) alternatives to smoking cigarettes / {nicotine gum / nicotine patches / vapes} available (1) smoking cigarettes is expensive / unaffordable (1) | (2) AO3 2a |

| Question Number | Answer | Mark |
|--------------------|---|--------|
| 4(c)(iii) | a line showing a continued downward trend to 2041 | (1) |
| | | AO3 2a |

| Question Number | Answer | Mark |
|--------------------|---|-------|
| 4(c)(iv) | B uncontrolled cell division | (1) |
| | The only correct answer is B | AO1 1 |
| | A is not correct because cancer is not uncontrolled organ division | |
| | C is not correct because cancer is not controlled cell division | |
| | D is not correct because cancer is not controlled organ division | |

(Total for question 4 = 10 marks)

| Question Number | Answer | Mark |
|--------------------|--|-------|
| 5(a)(i) | bacteria are killed (by the garlic extract / antibiotic) | (1) |
| | | AO2 2 |

| Question Number | Answer | Mark |
|--------------------|---|----------------|
| 5(a)(ii) | An explanation linking C (is the 100 mg/cm³ concentration) (1) | (2) AO3 2ab |
| | (because C) has the largest area with no bacterial growth / A and B have smaller areas (with no bacterial growth) (1) | |

| Question Number | Answer | Mark |
|--------------------|--|---------------|
| 5(a)(iii) | one from: use a control (1) use the same source of garlic extract (1) incubate the agar plates at the same temperature (1) ensure paper discs are the same size (1) measure the diameter of the clear zone (1) repeat (each concentration) (1) | (1) AO3 3a |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|---------------------------------------|---|-------|
| 5(a)(iv) | 3.14 x 5 ² / 3.14 x 25 (1) | award full marks for correct answer without | (2) |
| | 78.5 (mm ²) | working | AO2 1 |

| Question Number | Answer | Mark |
|--------------------|---|--------------|
| 5(b)(i) | to sterilise it / to kill {bacteria / microorganisms} (on the spreader) | (1) AO1 2 |

| Question Number | Answer | Mark |
|--------------------|---|--------------|
| 5(b)(ii) | two from: • disinfect the work surface / area | (2) AO1 2 |
| | (1) work close to a Bunsen burner (flame) (1) wear protective gloves / mask (1) | A01 2 |
| | taking the lid off for the minimum amount of time possible (1) aseptic techniques (1) | |

(Total for question 5 = 9 marks)

| Question Number | Answer | Mark | |
|--------------------|--|------|--|
| 6(a) | D recessive | (1) | |
| | The only correct answer is D | | |
| | A is not correct because the term that describes the allele for white flowers is not heterozygous | | |
| | B is not correct because the term that describes the allele for white flowers is not homozygous | | |
| | C is not correct because the term that describes the allele for white flowers is not gamete | | |

| Question Number | Ans | swer | | | | Mark |
|--------------------|----------|--------|--------------|---------|-------|---------|
| 6(b)(i) | | | | | | (2) |
| | | | | | | AO2 2ab |
| | | | | r | r | |
| | | | | | | |
| | | R | Rr | | Rr | |
| | | r | rr | | rr | |
| | <u> </u> | | rr | | rr | |
| | | • game | etes (r r) (| 1) | | |
| | | • geno | types of of | fspring | g (1) | |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--------|----------------------------|---------------|
| 6(b)(ii) | 50 (%) | ecf from Punnett square | (1) AO3 2a |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|---|---------------|
| 6(c)(i) | $(133 \div 46) = 2.89 / 2.9 (1)$ Rounded to the whole number $3 (:1)$ | award full marks for correct answer without working | (2) AO3 2a |

| Question Number | Answer | Mark |
|--------------------|--|--------------|
| 6(c)(ii) | An explanation linking both parents are heterozygous / Pp / each parent has an allele for white flowers (1) (so) some offspring have {two recessive alleles / pp} / are homozygous recessive (1) | (2) AO2 2 |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|---|-------|
| 6(d)(i) | An answer including two from | | (2) |
| | gametes are produced by meiosis (1) | | AO1 1 |
| | (meiosis) {halves the number of chromosomes / produces haploid gametes} / gametes have one of each pair of chromosomes (1) | | |
| | | accept when gametes fuse diploid cells / cells with 14 chromosomes are produced (1) | |

| Question Number | Answer | Mark |
|--------------------|--------------------------------------|-------|
| 6(d)(ii) | Any two from: | (2) |
| | • (male and female) gametes fuse (1) | AO1 1 |
| | • (forming a) zygote (1) | |
| | (forming a) diploid cell (1) | |

(Total for question 6 = 12 marks)

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|---------------------|---------------|
| 7(a) | (using fertiliser) produces a larger one thousand grain mass / {bigger / heavier} grains | | (1) AO3 1a |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|---|-------|
| 7(b) | An answer including: | | (2) |
| | (single) grains are {very small / have a small mass / have different masses} (1) | accept reverse argument | AO2 2 |
| | so the mass of single grains would not allow a reliable comparison (of fertiliser treatments) to be made (1) | accept to calculate an average (grain mass) (1) | |

| 7(c)(i) | C using predators to control pests | (1) |
|---------|--|-------|
| | The only correct answer is C | A01 1 |
| | A is not correct because biological control is not using antiseptics to control pests | |
| | B is not correct because biological control is not using fertilisers to control pests | |
| | D is not correct because biological control is not using pesticides to control pests | |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|--|--------------|
| 7(c)(ii) | An explanation linking two from: (biological control agent) is enclosed / cannot escape if crop is under cover (1) so (biological control agent) more likely to {find / eat / destroy} pests (1) (therefore) less crop damage / more yield (if under cover) (1) | accept predator / parasite / named predator e.g ladybirds | (2) AO2 2 |

| Question number | Indicative content | Mark |
|-----------------|---|--------------|
| 7(d)* | GM plants have their genome modified genes introduced into their genome, e.g. Bt corn | (6) AO2 1 |
| | Advantages | |
| | resistance to insects means less crop damageso there is a larger yield | |
| | GM corn plants produce a toxin that kills insects the toxin is not released into the environment so {safer for farmers / beneficial insects not killed} | |
| | less / no {insecticide / pesticide} neededso cheaper to manage pests (long term) | |
| | corn can be sprayed with weedkiller (to kill weeds) without affecting the crop crop grows better / larger yield because no weeds | |
| | Disadvantages | |
| | GM seeds are more expensive | |
| | genes for {insect / weedkiller} resistance could become incorporated into {wild plants / weeds} | |
| | decreasing weeds / insect populations could impact biodiversity / food chains | |
| | over time insects could become resistant to the toxin produced by the GM corn | |
| | so concerns that weeds / pest could be more difficult to control in the future | |
| | so concerns that weeds / pest could be more | |

| Level | Mark | Descriptor |
|---------|------|--|
| | 0 | No rewardable material. |
| Level 1 | 1-2 | The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. |
| | | Lines of reasoning are unsupported or unclear. |
| Level 2 | 3-4 | The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. |
| | | Lines of reasoning mostly supported through the application of relevant evidence. |
| Level 3 | 5-6 | The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. |
| | | Lines of reasoning are supported by sustained application of relevant evidence. |

| Level | Mark | Additional Guidance | General additional guidance The level is determined by the areas of indicative content covered within the response. The mark within the level is determined by the detail and/or use of biological terms within each explanation. |
|---------|------|--|---|
| | 0 | No rewardable material | |
| Level 1 | 1-2 | Makes simple statements about an advantage or a disadvantage of growing GM corn plants. | Possible candidate responses Seeds for GM corn plants are expensive. Seeds for GM corn plants are expensive so may not be affordable to some farmers. |
| Level 2 | 3-4 | Makes simple statements to explain an advantage and a disadvantage of GM corn plants and makes some logical connections between points. | Less pesticide are needed for GM corn plants. A disadvantage is that the seeds are expensive. Less pesticide is needed for GM corn plants. A disadvantage is that the seeds are expensive, but farmers spend less money on pesticides. |
| Level 3 | 5-6 | Explains advantages and disadvantages of GM corn plants and makes logical connections between points. | Possible candidate responses Less pesticide is needed for GM corn plants. The corn can be sprayed with weedkiller without affecting the crop. A disadvantage is that this can reduce the biodiversity. Seeds are also expensive to buy. Less pesticide is needed for GM corn plants. The corn can be sprayed with weedkiller without affecting the crop so a large yield will be produced. A disadvantage is that weedkillers can reduce biodiversity. Seeds are also expensive to buy, so farmers will not buy them and will continue to use pesticides. |

(Total for Question 7 = 13 marks)

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|-----------------------------------|--------------|
| 8(a)(i) | mutation / sexual reproduction / different combinations of alleles can occur | accept genetic modification | (1) AO2 1 |

| Question number | Answer | Mark |
|-----------------|---|--------------|
| 8(a)(ii) | D phenotype | (1) AO1 1 |
| | The only correct answer is D | |
| | A is not correct because gene is not the correct term for an observable characteristic | |
| | B is not correct because genotype is not the correct term for an observable characteristic | |
| | C is not correct because heterozygous is not the correct term for an observable characteristic | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|------------------------|---------------------------------|-------|
| 8(b) | | ignore mitosis | (1) |
| | asexual (reproduction) | reject meiosis | AO1 1 |
| | | accept cloning / binary fission | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|--------------|
| 8(c) | One from advantages: | ignore genetically identical / no variation for advantages and disadvantages | (2) AO2 1 |
| | (fruit) will have desired qualities (1) | accept examples of characteristics e.g. all tasty / same taste | |
| | can be produced faster (1) | ignore higher yield | |
| | AND | | |
| | One from disadvantages: | | |
| | susceptible to a disease (1) | accept inherited/genetic diseases | |
| | can't survive an environmental change (1) | accept can't survive a selection pressure | |
| | reduced gene pool (1) | | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|--------|
| 8(d) | A method including four from: | | (4) |
| | mix starch, enzyme and pH (solution) (1) use iodine (to test for starch) (1) (with iodine solution) blue-black means starch is present / {orange / brown} means no starch present (1) control of one variable | all three solutions are required accept add iodine to a spotting tile ignore blue ignore amount unless a measurement is given | AO3 3a |
| | e.g. concentration, volume, temperature (1) repeat using different pH solutions (1) | measurement is given | |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|---|---|--------------|
| 8(e) | An explanation linking two from:enzyme denatures (1) | accept enzyme changes shape | (2) AO2 1 |
| | which changes the shape of the active site (1) | | |
| | so {the enzyme cannot bind to its substrate / active site no longer complementary / no enzyme-substrate complexes form} (1) | accept substrate {no longer fits /is no longer complementary} accept starch for substrate | |

(Total for question 8 = 11 marks)

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---|-------|
| 9(a) | Calculation | award full marks for the correct answer with no working | (2) |
| | $300 \div 30 / 2^{10} / \text{ indication that there are 10 divisions (1)}$ | accept 512 for one mark | AO2 1 |
| | Evaluation | | |
| | 1024 | | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---|--------------|
| 9(b)(i) | (pathogens are organisms) that cause disease | ignore examples of pathogens unless linked to causing disease | (1) AO1 1 |
| | | accept cause disease / illness / infections | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|-------|
| 9(b)(ii) | An explanation including two from: | | (2) |
| | they inhibit processes (in bacteria) (1) | accept named processes e.g. disrupt cell walls | AO1 1 |
| | so bacteria {are destroyed / are killed / growth stops / reproduction stops} (1) | accept slows down for stopped | |
| | but antibiotics {do not affect/damage} the host cell (1) | | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--------------------------------|---|--------------|
| 9(b)(iii) | substitution 80 ÷ 0.005 (1) | award full marks for the correct answer with no working | (2) AO2 1 |
| | 16 000 | | |

| Question number | Indicative content | Mark |
|-----------------|---|--------------|
| 9(c)* | similarities cell membrane cell wall ribosomes cytoplasm both have DNA | (6) AO1 1 |
| | differences chromosomal DNA (bacteria) plasmid DNA (bacteria) flagella (bacteria) smaller size (bacteria) prokaryotic (bacteria) nucleus containing DNA (plants) chloroplasts (plants) mitochondria (plants) vacuole (plants) eukaryotic (plants) | |

| Level | Mark | Descriptor |
|---------|------|--|
| | 0 | No rewardable material. |
| Level 1 | 1-2 | Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. |
| | | Presents a description with some structure and coherence. |
| Level 2 | 3-4 | Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. |
| | | Presents a description that has a structure which is mostly clear, coherent and logical. |
| Level 3 | 5-6 | Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed. |
| | | Presents a description that has a well-developed structure which is clear, coherent and logical. |

| Level | Mark | Additional Guidance | General additional guidance The level is determined by the number points of indicative content and the inclusion of similarities and differences in the response. The mark within the level is determined by the depth of detail, coherence and accuracy of the response. |
|---------|------|--|--|
| | 0 | No rewardable material | |
| Level 1 | 1-2 | Makes simple statements identifying either similarities or differences between bacterial cells and plant cells. | Possible candidate responses Bacterial cells and plant cells have a cell wall. Bacterial cells and plant cells have a cell wall for structural support. |
| Level 2 | 3-4 | Makes simple statements to describe a similarity and a difference between bacterial cells and plant cells including some detail. | Both cells have a cell membrane and a cell wall. Bacteria have flagella, but plant cells do not. Both cells have a cell membrane and a cell wall for structural support. Bacteria have flagella, but plant cells do not. |
| Level 3 | 5-6 | Gives an accurate, detailed description of similarities and differences between bacterial cells and plant cells. | Both cells have a cell membrane and a cell wall. Bacteria have flagella and plasmids but plant cells do not. Both cells have a cell membrane and a cell wall for structural support. Bacteria have flagella for movement, and a plasmid, but plant cells do not. |

(Total for question 9 = 13 marks)

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---|--------------|
| 10(a)(i) | 340 × 0.25 / 94 /1) | Award full marks for the correct answer | (3) AO2 1 |
| | 240 x 0.35 / 84 (1) | with no workings | AU2 1 |
| | 240 - 84 (1) | ecf for an incorrect value subtracted from 240 shown in workings | |
| | 156 (people) | | |
| | OR | | |
| | 100 - 35 / 65 / 0.65 (1) | | |
| | 0.65 x 240 / 65 ÷ 100 x 240 (1) | ecf for an incorrect value multiplied by 240 shown in | |
| | 156 (people) | workings | |
| | OR | | |
| | 240 ÷ 100 / 2.4 (1) | | |
| | 2.4 x 65 (1) | ecf for an incorrect value multiplied by | |
| | 156 (people) | 65 shown in workings | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---|-------|
| 10(a)(ii) | Any one from: | | (1) |
| | • the eye(ball) is too long (1) | ignore the eye(ball) is too big | AO1 1 |
| | the cornea is too curved (1) | | |
| | lens is too thick/too curved (1) | | |
| | the {cornea/lens} refracts the light too much (1) | | |
| | • {light rays focus/focal point is} in front of the retina (1) | ignore image forms in front of the retina | |
| | | accept it is inherited / caused by genetics (1) | |

| Question number | Answer | Mark |
|-----------------|--|-------|
| 10(a)(iii) | С | (1) |
| | С | AO1 1 |
| | | |
| | The only correct answer is C | |
| | A is not correct because a convex lens is not used | |
| | B is not correct because a convex lens is not used | |
| | D is not correct because a concave lens doesn't refract light in this way | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|-------------------------------------|--|-------|
| 10(b)(i) | an answer including two from: | | (2) |
| | • protein (has built up) (1) | | AO1 1 |
| | • (in the) <u>lens</u> (1) | accept cloudy lens | |
| | light is dispersed (1) | accept not all the light rays pass through | |
| | | ignore blurry vision | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|----------------------------------|-------|
| 10(b)(ii) | (surgery to) replace the lens / use an {artificial / plastic lens} | ignore surgery /laser surgery | (1) |
| | | , | AO1 1 |

| Question number | Answer | Mark |
|-----------------|--|-------|
| 10c(i) | A cerebellum | (1) |
| | The only correct answer is A | AO2 1 |
| | B is not correct because structure X is not the cerebral hemisphere | |
| | C is not correct because structure X is not the medulla oblongata | |
| | D is not correct because structure X is not the spinal cord | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|-------|
| 10c(ii) | An answer including: | | (2) |
| | • by electrical impulses (1) | accept electrical message / signal | AO2 1 |
| | along a motor neurone (to the effector) (1) | accept motor neurone in the correct place in a description of a reflex arc | |

(Total for question 10 = 11 marks)